



uvex

Breathing
Protection

uvex
uvex 5/6 FR

uvex silv-Air

Respirator advisor · Cleaning · Functions



8701.011

uvex clear

- antimicrobial cleaning spray for cleaning respirators marked with "R"

uvex clear	
Art. no.	8701.011
Content	360 ml
Retail unit	1 can

uvex Respiratory Expert System

Your respiratory protection advisor will help you choose the right respirator and provide detailed information

As a leader of innovation, we set the highest standards in products and service. The uvex Respiratory Expert System (uRES) will help you choose the appropriate respirator and will give you detailed information about products, technologies, standards and guidelines. You can choose the correct mask from the uvex portfolio based on the work due to be carried out or based on the hazardous substance used. You will find useful detailed pictures of the products in use for all products and the relevant data sheets.

The uvex Respiratory Expert System gives you a quick overview of the correct respirator choice and provides clear and concise answers to fundamental questions relating to this topic.

Experience your breathing protection in a new dimension:

<https://ures.uvex.de>



The **360° exhalation valve** considerably reduces breathing resistance and build-up of heat and moisture in the mask.



Comfortable all-round sealing lip
The soft sealing lip guarantees a secure, comfortable sealed positioning of the mask.



Comfortable sealing lip in the nose area
The soft sealing lip in the nose area guarantees a secure, pressure-free fit.



Comfort nose clip
The mask is fitted with a high-quality nose clip making it individually adjustable.



Metal-free
The mask is completely metal-free and is manufactured entirely of skin-tolerant materials.



The **4-point headband attachment** allows an individual and secure fit, which can be perfectly adapted to meet the wearer's requirements.



The masks are **individually** packed and meet the highest standards of hygiene.



Carbon inside
The additional activated carbon layer incorporated in the filter material reduces unpleasant odours.



The **3D nose area** ensures a comfortable fit, low leakage and prevents misting of uncoated eyewear.



High performance climate management
The mask offers extremely low breathing resistance due to the filter chambers connected with the inhalation valve. The climate management of the high performance mask guarantees optimum wearer comfort.



R labelling
The mask has been tested for reusability and has the required performance features for wearing during a second work shift.



D labelling
The mask has undergone additional dolomite dust testing and therefore affords excellent breathability, even in extremely dusty environments and during longer periods of use.

uvex silv-Air
Protection level classification

uvex silv-Air e								
FFP 1			FFP 2			FFP 3		
			cup style			cup style		
								
			7213 NR D	7212 NR D	7313 R D	7312 R D	7315 R D	
								
			7232 R D	7233 R D	7333 R D	7330 R D		

uvex silv-Air p								
FFP 1		FFP 2		FFP 3				
flat fold	cup style	flat fold	cup style	flat fold	cup style			
								
8103 NR D	7100 NR D	8203 NR D	7200 NR D					
								
8113 NR D	7110 NR D	8213 NR D	7210 NR D	8313 NR D	7310 R D			
								
			with carbon 7220 NR D		with carbon 7320 R D			

uvex silv-Air FFP 1

All FFP 1 respirators provide reliable protection against harmful substances up to **4 times** the threshold limit value (OELs*) and are available with or without a valve.

uvex silv-Air FFP 2

All FFP 2 respirators provide reliable protection against harmful substances up to **10 times** the threshold limit value (OELs*) and are available with or without a valve.

uvex silv-Air FFP 3

All FFP 3 respirators provide reliable protection against harmful substances up to **30 times** the threshold limit value (OELs*) and are only available with a valve.

The uvex silv-Air breathing protection range is suitable for protection against solid and liquid aerosols, dust, mist and smoke, but does not offer sufficient protection against gases and vapours above the threshold level!

All respirators have been tested and certified in accordance with EN 149, "Respiratory protective devices. Filtering half masks to protect against particles." They conform to the EU guideline 89/686/EEC.

They are classified in the protection classes P1, P2 or P3 according to the filter performance and leakage value.

* OELs = The occupational exposure limit values (OELs) are the average concentration of a substance in the air in the workplace, up to which no damage (chronic or acute) is to be expected if employees work there for eight hours a day for five days a week. The OELs replace the maximum workplace concentration (MWC) and the technical reference concentration (TRC) – however, as long as both of these values are not yet fully taken into account in the OELs, they can still be used on an interim basis for assessing risks in the workplace.

uvex silv-Air High Performance FFP2 and FFP3

Lowest breathing resistance. Integrated ventilation.



8707.233
8707.333



Perfectly shaped around the nose for secure positioning



Adjustable headband for optimum fit



Large inhalation valves ensure extremely low breathing resistance

uvex silv-Air High-Performance – A new dimension in breathing protection

- particle-filtering preformed mask with exhalation valve and inhalation valves
- High-performance climazone system with three compartments for a comfortable, cool climate inside the mask
- flexible textile headband with neck clip for individual adjustment
- exhalation valve to further reduce breathing resistance, by helping to minimise moisture build up inside the mask
- two extra filters with inhalation valves for lower breathing resistance and increased comfort due to easier air exchange
- very soft, all-around sealing lip for optimal wearer comfort and secure fit
- combination of 3D nose area and sealing lip ensures ideal fit for almost any nose shape

	uvex silv-Air 7233	uvex silv-Air 7333
Art. no.	8707.233	8707.333
Version	FFP2 R D preformed mask with valves	FFP3 R D preformed mask with valves
Colour	white	white
Retail unit	3 units	3 units

uvex silv-Air High Performance FFP2 and FFP3

Lowest breathing resistance. Integrated ventilation.



8707.330



Nasal recess ensures a perfect fit for almost any nose shape.



High-quality uvex silv-Air outer material for best possible breathability.




Flexible 4-point headband attachment for a comfortable fit.

uvex silv-Air High-Performance – Perfect protection combined with maximum wearer comfort

- particle-filtering preformed mask with exhalation valve and inhalation valves
- High-performance climazone system with three compartments for a comfortable, cool climate inside the mask
- four-point headband attachment for a comfortable, individual and secure fit
- flexible, adjustable integrated nose clip
- exhalation valve to further reduce breathing resistance, by helping to minimise moisture build up inside the mask
- two extra filters with inhalation valves for lower breathing resistance and increased comfort due to easier air exchange
- high-quality silv-Air outer material for optimal breathability
- very soft, all-around sealing lip for optimal wearer comfort and secure fit
- nasal recess on the sealing lip ensures ideal fit for almost any nose shape

	uvex silv-Air 7232	uvex silv-Air 7330
Art. no.	8707.232	8707.330
Version	FFP2 R D preformed mask with valves	FFP3 R D preformed mask with valve
Colour	silver grey	silver grey
Retail unit	3 units	3 units



uvex silv-Air eco FFP2 and FFP3

Sustainable. Ergonomic. Cost-effective.



8707.213 8707.313
8707.214 8707.314



uvex silv-Air eco – Innovative sustainability in breathing protection

- mask change system with frame and headband
- particle-filtering preformed mask with exhalation valve
- innovative design with an optimised shape – angled nose shape for optimal compatibility with safety eyewear
- very soft, all-around sealing lip for optimal wearer comfort and secure fit
- very good fit with flexible two-component frame
- exhalation valve to further reduce breathing resistance, by helping to minimise moisture build up inside the mask

	uvex silv-Air 7213	uvex silv-Air 7313
Art. no.	8707.213	8707.313
Version	FFP2 NR D preformed mask with valve – Starter set	FFP3 R D preformed mask with valve – Starter set
Colour	white	white
Retail unit	20 masks, 1 frame, 1 headband	20 masks, 1 frame, 1 headband

	uvex silv-Air 7213	uvex silv-Air 7313
Art. no.	8707.214	8707.314
Version	FFP2 NR D preformed mask with valve – Refill pack	FFP3 R D preformed mask with valve – Refill pack
Colour	white	white
Retail unit	30 masks, 1 headband	30 masks, 1 headband

	uvex replacement frame
Art. no.	8701.019
Version	Replacement frame for uvex silv-Air eco system with headband
Retail unit	1 unit

uvex silv-Air e
FFP2 and FFP3 preformed masks



8707.212



8707.312
8707.311
8707.315



uvex silv-Air 7212

- particle-filtering preformed mask with exhalation valve
- soft material edges for increased comfort
- seamless headband for a comfortable, secure fit
- very soft, all-around sealing lip for optimal wearer comfort and secure fit
- flexible, adjustable integrated nose clip
- exhalation valve to further reduce breathing resistance, by helping to minimise moisture build up inside the mask

uvex silv-Air 7212	
Art. no.	8707.212
Version	FFP2 NR D preformed mask with valve
Colour	white
Retail unit	15 units

uvex silv-Air 7312

- particle-filtering preformed mask with exhalation valve
- soft material edges for increased comfort
- very soft, all-around sealing lip for optimal wearer comfort and secure fit
- flexible, adjustable integrated nose clip
- four-point headband attachment for a comfortable, individual and secure fit
- exhalation valve to further reduce breathing resistance, by helping to minimise moisture build up inside the mask

uvex silv-Air 7312	
Art. no.	8707.312
Version	FFP3 R D preformed mask with valve
Colour	white
Retail unit	5 units

uvex silv-Air 7315

- particle-filtering preformed mask with exhalation valve
- soft material edges for increased comfort
- very soft, all-around sealing lip for optimal wearer comfort and secure fit
- without nose clip (metal-free)
- four-point headband attachment for a comfortable, individual and secure fit
- exhalation valve to further reduce breathing resistance, by helping to minimise moisture build up inside the mask

uvex silv-Air 7315		
Art. no.	8707.311	8707.315
Version	FFP3 R D	FFP3 R D
	preformed mask	preformed mask
	with valve	with valve
Colour	white	white
Retail unit	120 units,	5 units
	individually packed	



Anatomically preformed nose area and integrated nosepiece within the filter material, ensures a perfect fit and the highest level of wearer comfort.



4-point headband attachment for a comfortable, secure fit of the mask.



The high-quality filter material ensures low breathing resistance, while the smooth white filter surface reduces the risk of contamination through "linting" in areas with strict hygiene standards.

uvex silv-Air p
FFP1 and FFP2 preformed masks



All-round soft material edges for increased comfort.



Three-dimensional, optimised shape can be combined with safety eye protection and a secure fit is guaranteed without a nose clip



All FFP1 and FFP2 preformed masks are completely metal-free.



FFP2 preformed mask also available with activated carbon filter against unpleasant odours.



Seamless, wide headband with loop for even pressure distribution and a comfortable fit.



Product description

- innovative design with optimised shape for secure fit
- soft material edges for increased comfort
- optional exhalation valve reduces temperature and moisture inside the mask
- optimised nose area design ensures maximum compatibility with uvex safety eyewear
- silver-grey uvex silv-Air outer material is pleasant to touch and prevents mask being discarded prematurely on account of surface staining

Typical Areas of application

Protection class FFP 1 respirators can be used in areas such as the food industry, stonemasonry and cement work, construction and softwood processing.

Protection class FFP 2 respirators can be used in areas such as mining, the metal work industry, shipyards and wood processing.

uvex silv-Air p

FFP1 preformed masks and folding masks



8707.100



8707.110

uvex silv-Air 7100

- particle-filtering preformed mask
- metal-free processing
- soft material edges for increased comfort
- seamless headband for a comfortable, secure fit

uvex silv-Air 7100	
Art. no.	8707.100
Version	FFP1 NR D preformed mask without valve
Colour	silver grey
Retail unit	20 units

uvex silv-Air 7110

- particle-filtering preformed mask with exhalation valve
- metal-free processing
- soft material edges for increased comfort
- seamless headband for a comfortable, secure fit
- exhalation valve to further reduce breathing resistance, by helping to minimise moisture build up inside the mask

uvex silv-Air 7110	
Art. no.	8707.110
Version	FFP1 NR D preformed mask with valve
Colour	silver grey
Retail unit	15 units



8708.103



8708.113

uvex silv-Air 8103

- particle-filtering folding mask
- hydrophobic material coating
- seamless headband for a comfortable, secure fit
- flexible, adjustable integrated nose clip
- foam layers in chin and nose area for optimal fit

uvex silv-Air 8103	
Art. no.	8708.103
Version	FFP1 NR D folding mask without valve
Colour	silver
Retail unit	20 units, individually packed

uvex silv-Air 8113

- particle-filtering folding mask with exhalation valve
- hydrophobic material coating
- seamless headband for a comfortable, secure fit
- Flexible, adjustable integrated nose piece
- foam layers in chin and nose area for optimal fit
- exhalation valve to further reduce breathing resistance, by helping to minimise moisture build up inside the mask

uvex silv-Air 8113	
Art. no.	8708.113
Version	FFP1 NR D folding mask with valve
Colour	silver
Retail unit	15 units, individually packed

uvex silv-Air p

FFP2 preformed masks and folding masks



8707.200

uvex silv-Air 7200

- particle-filtering preformed mask
- metal-free processing
- seamless headband for a comfortable, secure fit

uvex silv-Air 7200	
Art. no.	8707.200
Version	FFP2 NR D preformed mask without valve
Colour	silver grey
Retail unit	20 units



8707.210

uvex silv-Air 7210

- particle-filtering preformed mask with exhalation valve
- metal-free processing
- seamless headband for a comfortable, secure fit
- exhalation valve to further reduce breathing resistance, by helping to minimise moisture build up inside the mask

uvex silv-Air 7210	
Art. no.	8707.210
Version	FFP2 NR D preformed mask with valve
Colour	silver grey
Retail unit	15 units



8707.220

uvex silv-Air 7220

- particle-filtering preformed mask with exhalation valve
- metal-free processing
- additional activated carbon filter against odours, gases and vapours below threshold
- seamless headband for a comfortable, secure fit
- exhalation valve to further reduce breathing resistance, by helping to minimise moisture build up inside the mask

uvex silv-Air 7220	
Art. no.	8707.220
Version	FFP2 NR D preformed mask with valve and carbon
Colour	silver, anthracite
Retail unit	15 units



8708.203

uvex silv-Air 8203

- particle-filtering folding mask
- hydrophobic material coating
- seamless headband for a comfortable, secure fit
- flexible, adjustable integrated nose clip
- foam layers in chin and nose area for optimal fit

uvex silv-Air 8203	
Art. no.	8708.203
Version	FFP2 NR D folding mask without valve
Colour	silver
Retail unit	20 units, individually packed



8708.213

uvex silv-Air 8213

- particle-filtering folding mask with climate-optimised exhalation valve
- hydrophobic material coating
- seamless headband for a comfortable, secure fit
- flexible, adjustable integrated nose clip
- foam layers in chin and nose area for optimal fit

uvex silv-Air 8213	
Art. no.	8708.213
Version	FFP2 NR D folding mask with valve
Colour	silver
Retail unit	15 units, individually packed

uvex silv-Air p
FFP3 preformed masks and folding masks



8707.310



8707.320

uvex silv-Air 7310

- particle-filtering preformed mask with exhalation valve
- very soft, all-around sealing lip for optimal wearer comfort and secure fit
- flexible, adjustable integrated nose clip
- four-point headband attachment for a comfortable, individual and secure fit
- exhalation valve to further reduce breathing resistance, by helping to minimise moisture build up inside the mask

uvex silv-Air 7310	
Art. no.	8707.310
Version	FFP3 R D preformed mask with valve
Colour	silver grey
Retail unit	5 units

uvex silv-Air 7320

- particle-filtering preformed mask with exhalation valve
- additional activated carbon filter against odours, gases and vapours below threshold
- very soft, all-around sealing lip for optimal wearer comfort and secure fit
- flexible, adjustable integrated nose clip
- four-point headband attachment for a comfortable, individual and secure fit
- exhalation valve to further reduce breathing resistance, by helping to minimise moisture build up inside the mask

uvex silv-Air 7320	
Art. no.	8707.320
Version	FFP3 R D preformed mask with valve and carbon
Colour	silver, anthracite
Retail unit	5 units



8708.313

uvex silv-Air 8313

- particle-filtering folding mask with exhalation valve
- hydrophobic material coating
- four-point headband attachment for a comfortable, individual and secure fit
- flexible, adjustable integrated nose clip
- very soft, all-around sealing lip for optimal wearer comfort and secure fit
- exhalation valve to further reduce breathing resistance, by helping to minimise moisture build up inside the mask

uvex silv-Air 8313	
Art. no.	8708.313
Version	FFP3 NR D folding mask with valve
Colour	silver
Retail unit	15 units, individually packed

uvex silv-Air Areas of application



Activity	Harmful substances	Protection class		
		FFP1	FFP2	FFP3
Wood processing				
Softwood: cutting and sanding	Fine particles, wood dust		■	
Hard wood (oak, beech, tropical woods, etc.): cutting and sanding	Fine particles, wood dust			■
Brushing/sanding paint	Fine colour particles		■	
Brushing/sanding paint (paints containing chrome)	Fine colour particles			■
Soluble paints containing copper/chrome/arsenic	Fine paint mist			■
Construction and ancillary building industry				
Cement work, plastering, tiling, roofing	Cement, plaster, tile or brick dust		■	
Masonry: cutting, drilling, demolition			■	
Asbestos: short periods of work	Fibres			■
Roof insulation: glass and mineral fibres	Dust and fibres		■	
Bodyfillers/stopper: Grinding	Dust		■	
Welding				
Welding aluminium and stainless steel	Metal and aluminium oxide fumes			■
Brazing	Fumes			■
Metalwork				
Metal: drilling, grinding, milling, angle grinding	Metal dust		■	
High-alloy steels and stainless steels: drilling, grinding, milling, angle grinding	Metal dust			■
Waste disposal and cleaning				
Refuse separation and disposal	Dust, fungi		■	
Medical waste disposal	Bacteria, spores			■
Sweeping floors	Dust (non-toxic)	■		
Radioactively contaminated particles	Dust			■
Agriculture				
Animal epidemics and treatment of animals with diseases	Bacteria, viruses			■
Work with fungal spores	Spores			■
Work with hay, grain and flour	Dust	■		
Medicine/care/health				
Allergies, pollen, household dust, animal fur	Dust, particles, spores		■	
Bacteria, viruses, infections, legionella bacteria	Bacteria, viruses			■

► These filter classes are minimum requirements and simply serve as a guide. It is the wearers' responsibility to make sure the breathing apparatus conforms to the requirements in terms of hazardous materials and concentration before use!

Particle filters are divided into three classes:

- FFP1** For particles that are neither toxic nor associated with fibrosis. For protection up to 4 times the corresponding threshold limit value (OELs*).
- FFP2** For hazardous or harmful particles, vapour and smoke; filters for solid and liquid particles with a medium filtering level. For protection up to 10 times the corresponding threshold value (OELs*).
- FFP3** For poisonous particles, vapour and smoke; filters for solid and liquid aerosols with a high filtering classification. For protection up to 30 times the corresponding threshold limit value (OELs*).

* OELs = The occupational exposure limit values (OELs) are the average concentration of a substance in the air in the workplace, up to which no damage (chronic or acute) is to be expected if employees work there for eight hours a day for five days a week. The OELs replace the maximum workplace concentration (MWC) and the technical reference concentration (TRC) – however, as long as both of these values are not yet fully taken into account in the OELs, they can still be used on an interim basis for assessing risks in the workplace.

uvex silv-Air c
Respirators



uvex silv-Air c							
	FFP1		FFP2			FFP3	
flatfold	 3100 NR D	 3110 NR D	 3200 NR D	 3210 NR D	 3220 NR D	 3310 NR D	
cup style	 2100 NR D	 2110 NR D	 2200 NR D	 2210 NR D	 2220 NR D	 2310 NR D	 2312 NR D

uvex silv-Air c

Respirators, class FFP1 and FFP2



Filtering face mask uvex silv-Air c

- innovative design with an optimised shape
- soft material edges for greater comfort and wearer acceptance
- seamless headband for a comfortable, secure fit
- exhalation valve for easy airflow exchange and reduces the build-up of heat and moisture inside the mask
- adjustable nose clip ensures an excellent individual fit
- mask fulfils the requirements of the dolomite dust test
- compatible with uvex safety eyewear
- upper face seal offers both secure positioning and comfort
- activated carbon filter, suitable for welding applications available in the FFP2 (uvex silv-Air c 2220 and 3220) option



1
The adjustable nose clip ensures an excellent individual fit and secure positioning.



2
The soft material edges prevent uncomfortable pressure points.



3
The seamless headband can be adjusted for an optimum fit.



4
The exhalation valve with a 360° opening ensures very low breathing resistance and a cooling effect climate inside the mask.



5
The upper face seal offers both a more secure positioning of the mask and increased wearer comfort.

uvex silv-Air c

Filtering face masks, protection class FFP1



8733.100



8733.110

uvex silv-Air 3100

- particle-filtering folding mask
- seamless headband and flexible, adjustable nose clip
- comfortable sealing lip in nose area for secure fit

uvex silv-Air 3100	
Art. no.	8733.100
Version	FFP 1 NR D folding mask without valve
Colour	white
Retail unit	30 units, individually packed

uvex silv-Air 3110

- particle-filtering folding mask with exhalation valve
- Comfortable sealing lip in nose area for secure fit
- seamless headband and flexible, adjustable nose clip
- exhalation valve to further reduce breathing resistance, by helping to minimise moisture build up inside the mask

uvex silv-Air 3110	
Art. no.	8733.110
Version	FFP 1 NR D folding mask with valve
Colour	white
Retail unit	15 units, individually packed



8732.100



8732.110

uvex silv-Air 2100

- particle-filtering preformed mask
- seamless headband and nose clip for a comfortable, secure fit
- comfortable sealing lip in nose area for secure fit

uvex silv-Air 2100	
Art. no.	8732.100
Version	FFP 1 NR D preformed mask without valve
Colour	white
Retail unit	20 units

uvex silv-Air 2110

- particle-filtering preformed mask with exhalation valve
- seamless headband and nose clip for a comfortable, secure fit
- comfortable sealing lip in nose area for secure fit
- exhalation valve to further reduce breathing resistance, by helping to minimise moisture build up inside the mask

uvex silv-Air 2110	
Art. no.	8732.110
Version	FFP 1 NR D preformed mask with valve
Colour	white
Retail unit	15 units

uvex silv-Air c

Filtering face masks, protection class FFP2



8733.200



8733.210



8733.220

uvex silv-Air 3200

- particle-filtering folding mask
- seamless headband and flexible, adjustable nose clip
- comfortable sealing lip in nose area for secure fit

uvex silv-Air 3210

- particle-filtering folding mask with exhalation valve
- seamless headband and flexible, adjustable nose clip
- comfortable sealing lip in nose area for secure fit
- exhalation valve to further reduce breathing resistance, by helping to minimise moisture build up inside the mask

uvex silv-Air 3220

- particle-filtering folding mask with exhalation valve
- additional activated carbon filter against odours, gases and vapours below threshold
- seamless headband and flexible, adjustable nose clip
- comfortable sealing lip in nose area for secure fit
- exhalation valve to further reduce breathing resistance, by helping to minimise moisture build up inside the mask

uvex silv-Air 3200		uvex silv-Air 3210		uvex silv-Air 3220	
Art. no.	8733.200	Art. no.	8733.210	Art. no.	8733.220
Version	FFP2 NR D folding mask without valve	Version	FFP2 NR D folding mask with valve	Version	FFP2 NR D folding mask with valve and carbon
Colour	white	Colour	white	Colour	silver
Retail unit	30 units, individually packed	Retail unit	15 units, individually packed	Retail unit	15 units, individually packed



8732.200



8732.210



8732.220

uvex silv-Air 2200

- particle-filtering preformed mask
- seamless headband and flexible, adjustable nose clip for a comfortable, secure fit
- comfortable sealing lip in nose area for secure fit

uvex silv-Air 2210

- particle-filtering preformed mask with exhalation valve
- seamless headband and flexible, adjustable nose clip for a comfortable, secure fit
- comfortable sealing lip in nose area for secure fit
- exhalation valve to further reduce breathing resistance, by helping to minimise moisture build up inside the mask

uvex silv-Air 2220

- particle-filtering preformed mask with exhalation valve
- additional activated carbon filter against odours, gases and vapours below threshold
- Seamless headband and flexible, adjustable nose clip for a comfortable, secure fit
- comfortable sealing lip in nose area for secure fit
- exhalation valve to further reduce breathing resistance, by helping to minimise moisture build up inside the mask

uvex silv-Air 2200		uvex silv-Air 2210		uvex silv-Air 2220	
Art. no.	8732.200	Art. no.	8732.210	Art. no.	8732.220
Version	FFP2 NR D preformed mask without valve	Version	FFP2 NR D preformed mask with valve	Version	FFP2 NR D preformed mask with valve and carbon
Colour	white	Colour	white	Colour	silver
Retail unit	20 units	Retail unit	15 units	Retail unit	15 units

uvex silv-Air c
Filtering face masks, protection class FFP3



3310

uvex silv-Air 3310

- particle-filtering folding mask with exhalation valve
- adjustable headband and flexible, adjustable nose clip for a comfortable, secure fit
- comfortable, all-around sealing lip for secure fit
- exhalation valve to further reduce breathing resistance, by helping to minimise moisture build up inside the mask

uvex silv-Air 3310	
Art. no.	8733.310
Version	FFP3 NR D folding mask with valve
Colour	white
Retail unit	15 units, individually packed



2310

uvex silv-Air 2310

- particle-filtering preformed mask with exhalation valve
- four-point headband attachment and flexible, adjustable nose clip for a comfortable, secure fit
- very soft, all-around sealing lip for optimal wearer comfort and secure fit
- exhalation valve to further reduce breathing resistance, by helping to minimise moisture build up inside the mask

uvex silv-Air 2310	
Art. no.	8732.310
Version	FFP3 NR D preformed mask with valve
Colour	white
Retail unit	15 units



2312

uvex silv-Air 2312

- particle-filtering preformed mask with exhalation valve – ergonomically adapted for smaller faces
- four-point headband attachment and flexible, adjustable nose clip for a comfortable, secure fit
- very soft, all-around sealing lip for optimal wearer comfort and secure fit
- exhalation valve to further reduce breathing resistance, by helping to minimise moisture build up inside the mask

uvex silv-Air 2312	
Art. no.	8732.312
Version	FFP3 NR D preformed mask with valve
Colour	white
Retail unit	15 units

Perfect Match

Protection from a single source



Three dimensional optimised nose shape for optimum combination of respirator with safety eyewear.

For many years, has been a global leader in industrial safety eyewear. uvex has built on this expertise in the development of its highly functional uvex silv-Air respirators.

With the aim of creating two products that can be worn together perfectly, eyewear and breathing protection product development was carried out in close consultation. Safety eyewear and breathing protection were regarded as one, uniting to provide the best possible protection.

The result of this combined expertise is the three dimensional shape of uvex silv-Air respirators. They ensure an optimum, close fit of safety eyewear, without slipping and wobbling. As the equipment remains firmly in place, optimum eye protection is guaranteed. uvex preformed and folding masks are therefore particularly suitable for combination with uvex safety eyewear.

uvex's latest innovation, the uvex silv-Air eco, has also been designed to be worn in conjunction with uvex safety eyewear. All models fit securely on the nose, due to the curved nose shape of the mask.






































Trust protection from a single source.

Combination options of uvex silv-Air respirators with uvex safety eyewear						
	Page	Folding masks FFP1, FFP2, FFP3	Preformed masks FFP 1, FFP 2, FFP 3	Preformed masks FFP 2, FFP 3	Preformed masks FFP 1, FFP 2, FFP 3	Preformed masks FFP 2, FFP 3
uvex silv-Air High Performance uvex silv-Air eco uvex silv-Air e	122 – 125		7112, 7212, 7233, 7312, 7333	7232, 7330		7213, 7313
uvex silv-Air p	126 – 129	8103, 8113, 8203, 8213, 8313	7100, 7110, 7120, 7200, 7210, 7220	7310, 7320		
uvex silv-Air c	132 – 135	3100, 3110, 3200, 3210, 3220, 3310		2310, 2312	2100, 2110, 2200, 2210, 2220	
 uvex i-3	25	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
 uvex pheos	28/29 + 21	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
 uvex sportstyle						
 uvex i-vo	32	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
 uvex super g	30 + 31	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
 uvex super fit						
 uvex super OTG	42 + 43	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
 uvex super f OTG						
 uvex astrospec 2.0	27	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
 uvex skyguard NT	37 + 49	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
 uvex carbonvision						
 uvex ultrasonic	46/47 + 45	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
 uvex u-sonic						
 uvex ultravision	50	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

Perfect combination Suitable to a limited extent



uvex silv-Air Overview

Art. no.	Name	Type		Colour	Retail unit	Quantity in outer box	Page
8701.011	uvex clear	Cleaning spray			1 can (360 ml)	100	106
8701.019	uvex silv-Air eco	eco replacement frame with headband		dark grey	1 piece	30	110
8707.100	uvex silv-Air 7100	FFP1 preformed mask without valve		silver grey	20 per box	180	113
8707.110	uvex silv-Air 7110	FFP1 preformed mask with valve		silver grey	15 per box	135	113
8707.200	uvex silv-Air 7200	FFP2 preformed mask without valve		silver grey	20 per box	180	114
8707.210	uvex silv-Air 7210	FFP2 preformed mask with valve		silver grey	15 per box	135	114
8707.212	uvex silv-Air 7212	FFP2 preformed mask with valve		white	15 per box	135	111
8707.213	uvex silv-Air eco 7213	Starter set with frame, 20 FFP2 masks and 1 headband		white	20 pieces	180	110
8707.214	uvex silv-Air eco 7213	Refill pack with 30 FFP2 masks and 1 headband		white	30 pieces	270	110
8707.220	uvex silv-Air 7220 with carbon	FFP2 preformed mask with valve		silver/anthracite	15 per box	135	114
8707.232	uvex silv-Air 7232 High Performance	FFP2 preformed mask with three-chamber system		silver grey	3 per box	36	109
8707.233	uvex silv-Air 7233 High Performance	FFP2 preformed mask with three-chamber system		white	3 per box	36	108
8707.310	uvex silv-Air 7310	FFP3 preformed mask with valve		silver grey	5 per box	60	115
8707.311	uvex silv-Air 7311	FFP3 preformed mask with valve		white	120 pieces	120	111
8707.312	uvex silv-Air 7312	FFP3 preformed mask with valve		white	5 per box	60	111
8707.313	uvex silv-Air eco 7313	Starter set with frame, 20 FFP3 masks and 1 headband		white	20 pieces	180	110
8707.314	uvex silv-Air eco 7313	Refill pack with 30 FFP3 masks and 1 headband		white	30 pieces	270	110
8707.315	uvex silv-Air 7315	FFP3 preformed mask with valve		white	5 per box	60	111
8707.320	uvex silv-Air 7320 with carbon	FFP3 preformed mask with valve		silver/anthracite	5 per box	60	115
8707.330	uvex silv-Air 7330 High Performance	FFP3 preformed mask with three-chamber system		silver grey	3 per box	36	109
8707.333	uvex silv-Air 7333 High Performance	FFP3 preformed mask with three-chamber system		white	3 per box	36	108
8708.103	uvex silv-Air 8103	FFP1 folding mask without valve		silver	20 per box	480	113
8708.113	uvex silv-Air 8113	FFP1 folding mask with valve		silver	15 per box	360	113
8708.203	uvex silv-Air 8203	FFP2 folding mask without valve		silver	20 per box	480	114
8708.213	uvex silv-Air 8213	FFP2 folding mask with valve		silver	15 per box	360	114
8708.313	uvex silv-Air 8313	FFP3 folding mask with valve		silver	15 per box	360	115
8732.100	uvex silv-Air 2100	FFP1 preformed mask without valve		white	20 per box	240	119
8732.110	uvex silv-Air 2110	FFP1 preformed mask with valve		white	15 per box	180	119
8732.200	uvex silv-Air 2200	FFP2 preformed mask without valve		white	20 per box	240	120
8732.210	uvex silv-Air 2210	FFP2 preformed mask with valve		white	15 per box	180	120
8732.220	uvex silv-Air 2220 with carbon	FFP2 preformed mask with valve		silver	15 per box	180	120
8732.310	uvex silv-Air 2310	FFP3 preformed mask with valve		white	15 per box	180	121
8732.312	uvex silv-Air 2312	FFP3 preformed mask with valve		white	15 per box	180	121
8733.100	uvex silv-Air 3100	FFP1 folding mask without valve		white	30 per box	360	119
8733.110	uvex silv-Air 3110	FFP1 folding mask with valve		white	15 per box	180	119
8733.200	uvex silv-Air 3200	FFP2 folding mask without valve		white	30 per box	360	120
8733.210	uvex silv-Air 3210	FFP2 folding mask with valve		white	15 per box	180	120
8733.220	uvex silv-Air 3220 with carbon	FFP2 folding mask with valve		silver	15 per box	180	120
8733.310	uvex silv-Air 3310	FFP3 folding mask with valve		white	15 per box	180	121